



Continuous Inkjet Printer

F640 SERIES

Make coding & marking
simpler and more efficient.



Exclusive distributor in Thailand

FASTJET

F640 Series Continuous Inkjet Printer

1234
ABCD

25-dot matrix printing font

Adapt to multiple product information printing layouts, including production date, warranty period, batch number, logo, barcode, QR code, and other content.



Two printing modes: Standard and High Quality

Standard: Provides stable and efficient coding and marking for fast production lines.

High Quality: Precise ink droplet control for clear, high-quality patterns and QR code results.



Compatible with dye-based ink

Multiple dye-based inks available, ensuring reliable adhesion for coding on a wide range of materials including PVC, PE, PET, and metal.





User-friendly and efficient, enabling compliance coding for packaging in food & beverage, personal care, and other industries.



10-inch color touchscreen

Customizable 10-inch color touchscreen with shortcut menus, offering clear display and intuitive operation, allowing you to easily view coding information and improve work efficiency. Tips: Access the shortcut settings menu to easily select the application functions that best suit your daily production operations, making it your personalized coding interface.



Outstanding coding capability

Whether you need to handle characters or various types of barcodes/QR codes, the F640 delivers outstanding printing quality, helping your brand succeed.

- ◆ Utilizing classic nozzle crystal oscillator collaboration parameters: 60um-76.8kHz, 70um-64kHz, providing consistent printing quality.
- ◇ Modular mix ink tank system, offering continuous and stable ink flow performance in various harsh environments.
- ◆ Precise charging control system ensures optimal ink droplet flight path.



Simple and Easy

No worry about learning how to operate; **within 15 minutes, you'll learn and easily master several key operating functions, making it quick to grasp and convenient for efficient use.**



Cost-effective

We prioritize cost-effectiveness, presenting you with high-quality products while helping you establish a manageable Total Cost of Ownership (TCO) plan.

Contact us now to receive a cost-effective, tailored solution for your needs.

E-mail: customer@bettercode.co.th

Website: www.bettercode.co.th



SPECIFICATIONS

Screen size/type	10-inch color touchscreen
Nozzle	60um 70um
Umbilical	Length: 2700mm Diameter: 21mm Bending radius: 150mm
Printing distance	5mm~40mm
Printing mode	Standard, High Quality
Printing lines	1 line(25 dot matrix) , 3 lines (7x5)
Printing fonts	5x5, 6x5, 7x4, 7x5, 9x6, 9x6 bold, 11x8, 11x8 bold, 16x11, 24x17
Printable content	Numbers, characters, QR codes, barcodes, shifts, patterns
Content editing	WYSIWYG
Language	Simplified Chinese, Traditional Chinese, English, French, German, Arabic, Portuguese, Swedish, Vietnamese, Spanish, Turkish, Russian, etc.
Data interface	TCP/IP, USB, **RS232
Electrical requirements	100-120V/200-240V AC 47-63Hz 3.5A Rated 156W (Typical 92W)
Operating environment	5~45°C, 90% humidity non-condensing (using selected ink; adjustments may be needed according to the production environment, actual installation may require additional hardware).
Protection level	IP55
Ink cartridge/ Solvent cartridge capacity	750ml
Compatible ink type	Dye
Net weight	25kg

*:The information and images published in this product manual may have slight differences from the actual product due to configuration changes, product updates, etc. Additionally, parameter data is based on laboratory constant testing conditions, which may differ from user field conditions, resulting in variations. Please refer to actual usage for accuracy.

**Optional configuration.